

RHINOweld 100cm long welders apron

Product code: AP009



Description:

RHINOweld -
100cm x 80CM tan cow split
leather welders apron.
KEVLAR stitching throughout.
Strap adjustment with fast
release plastic buckle system.
Offers excellent protection to the
frontal body area down to the mid
calf region.



RHINOweld aprons are
fitted with an adjustable
strap with quick fasten
and release plastic clips

Features:

100cm long for optimum protection
Durable cow split leather
Kevlar stitched throughout

Strap adjustment
Plastic snap lock quick release buckle



Technical Data:

CE approved to EN ISO11611: Class 2 A1



USER INFORMATION

Leather Welding Accessories

| | | |
|--|---|--|
| <p>CE</p> <p>These garments comply with the requirements of Directive 89/686/EEC and the referenced standards</p> | <p>STYLE REFERENCE: AC205-000-282</p> <p>AC210-000-036 AC211-000-282</p> <p>AP009-000-036 AP010-000-036 GL143-000-036</p> <p>JK941-000-036</p> | <p>DESCRIPTION: FLAME RETARDANT WELDERS GAITERS IN TAN / GREY FLAME RETARDANT WELDERS GAITERS(TAN) FLAME RETARDANT WELDERS GAITERS(TAN) VELCRO FASTENING FLAME RETARDANT WELDERS APRON (TAN) FLAME RETARDANT WELDERS SHORT APRON FLAME RETARDANT WELDERS RAGLAN SLEEVE (TAN) FLAME RETARDANT WELDERS BOLERO(TAN)</p> |
| <p>EN ISO 11611:2007 Protective Clothing for use in Welding and Allied Processes</p> | |  <p>EN ISO 11611 2007 CLASS 2 A1</p> |
| <p>In the event of accidental splash of Chemicals or Flammable liquids on clothing the Wearer should withdraw and carefully remove garments , ensuring the chemical or liquid do not come into contact with any part of skin. Clothing should be cleaned or removed from service.</p> | | <p>Intended Use:</p> <p>Class 1 – recommended for manual welding techniques with light formation of Spatters and drops e.g. gas welding, TIG welding, MIG welding, micro plasma welding, brazing, spot welding, MIMA welding (with rutile covered electrode) for operation of machine e.g. oxygen cutting machines, plasma cutting machines, resistance welding machines, machines for thermal spraying, bench welding</p> |
| <p>Improper use. The level of protection against flame will be reduced if the welders' protective clothing is contaminated with flammable materials. An increase in the oxygen content of the air will reduce considerably the protection of the welder's protective clothing against flame. Care should e.g. taken when welding in confined spaces e.g. if it is possible that the atmosphere may become enriched with oxygen. The electrical insulation provided by clothing will be reduced when the clothing is wet, dirty or soaked with sweat. Any other warnings, regarding limitations of use, as identified by the manufacturer.</p> | | <p>Class 2 – recommended for manual welding techniques with heavy formation of spatters and drops e.g. MIMA welding (with basic or cellulose-covered electrode), MAG welding (with CO₂ or mixed gases), MID welding (with high current), self-shielded flux cored arc welding, plasma cutting, gouging, oxygen cutting, thermal spraying for operation of machines e.g. in confined spaces, at overhead welding/cutting or in comparable constrained positions</p> <p>This clothing is intended to protect against flames molten metal splatter, radiant heat and short term, accidental electrical contact</p> <p>Warnings: For operational reasons not all welding voltages carrying parts of arc welding installations can be protected against direct contact. Aprons should cover the front body of the user at least from side To side seam Additional partial body protection may be required e.g. for welding overhead. This garment is only intended to protect against brief inadvertent contact with live parts of an arc welding circuit, additional electrical insulations layers will be required where there is an increased risk of electric shock,. Garments are designed to provide protection against short term, accidental contact with live electric conductors at voltages up to approximately 100 V.d.c. Garments should fastened and worn correctly for protection. When using additional partial protective garments, the basic garments shall meet at least Class 1. Storage: Always store in clean, dry conditions. Disposal: Products for recycling, safe destruction and disposal as relevant with local regulations</p> |
| <p>Cleaning & Maintenance: The items of PPE described and marked with the appropriate style / product codes are not designed to be Washed, Laundered or Cleaned in any manner.</p> | | <p>DO NOT WASH</p>  |
| <p>Notified Body : Intertek Labtest UK Ltd Centre Court,Meridian Business Park, Leicester , LE19 1WD, UK Notified Body No.0362</p> | | |
| <p>FUTURE GARMENTS LTD , AQUA HOUSE , BUTTRESS WAY , SMETHWICK , BIRMINGHAM , WEST MIDLANDS , B66 3DL , UK www.workwearonline.net</p> | | |

The information contained herein is intended to assist the wearer in the selection of Personal Protective Equipment. The results of physical tests should also help in glove selection, however it must be understood that actual conditions of use cannot be simulated and it is the responsibility of the user to determine the suitability of the glove for its intended use.

Intertek

Centre Court,
Meridian Business Park, Leicester
LE19 1WD, UK United Kingdom

Tel: +44 (0)116 263 0330
Fax: +44 (0)116 263 0311/12
Web: www.intertek.com/consumergoods

EC TYPE EXAMINATION CERTIFICATE

Approved Body 0362

Issued to : Future Garments Ltd., Aqua House, Buttress Way, Smethwick, Birmingham. B66 3DL


Manufacturer : Future Garments (India) Pvt Ltd., Mancheswar Ind. Est., Bhubaneswar, 75010, India

Date of Issue : 8th July 2011 **Expiry Date** : 8th July 2016

Certificate No. : LEC FI00316816

Product Reference : **Flame Retardant Welders Leather Apron – AP009**

Description : **Welders Aprons in compliance with EN ISO 11611:2007 Class 2 A1,
Must be worn over a Welders Suit with at least performance level – Class 1**



The welders apron detailed above meets the criteria of an EC type Examination in accordance with article 10 of the PPE Directive (89/686/EEC) for intermediate design category products.

This has been shown through satisfactory testing to EN ISO 11611:2007 and examination of the technical file documentation.

Following an EC declaration of product conformity, you are hereby licensed to mark the product(s) detailed above in accordance with article 13 of the PPE Directive (89/686/EEC)

Assessor

Date: 8th July 2011

Joyce Moore

Certification Manager

Date: 8th July 2011

Carol Graham

Maxi Brown

For and on behalf of
Intertek Labtest UK Limited

Intertek Labtest UK Limited

Registered in England No. 3287320 Registered Office: 25 Savile Road London W1S 2ES





**EC DECLARATION OF CONFORMITY (in accordance with BS EN ISO/IEC
17050-1:2010)**

No. 2011-07-009

**FUTURE GARMENTS LTD ,
AQUA HOUSE , BUTTRESS WAY ,
SMETHWICK , WARLEY ,
WEST MIDLANDS B66 3DL**

**We hereby declare that the following Personal Protective Equipment :
AP009-000-036 – Flame Retardant Welders Apron in Tan Split Leather
100cm x 80cm**

**Are in conformity with the provisions of Council Directive 89/686/EEC and with
the national transposing harmonized Standard No's :
EN ISO 11611:2007 , and is identical to the PPE which is the subject of EC
Certificate No : LECFI00316816 dated 8th July 2011 issued by the : (Notified
body No:0362)**

**INTERTEK Labtest UK Ltd ,
Centre Court ,
Meridian Business Park , Leicester ,
LE19 1WD , UK**

Signed for and on behalf of :

Name : H.S.Uppal

Name : Max Palak

Position : Technical Director

Position : Managing Director

Date : 8th July 2011

Place of issue : Birmingham , Head Office.